## CONTENTS OF ANIMAL FEED SCIENCE AND TECHNOLOGY, VOLUME 25

## VOL. 25 NOS. 1-2

## **AUGUST 1989**

Discrimination power of the nylon bag technique and the pepsin-cellulase method to detect less commonly used components included in concentrates for dairy cows	
L. Istasse, F. Rollin, N. Kameni Djiele, C. van Eenaeme, J.M. Bienfait (Brussels,	
Belgium) and L. Biston (Libramont, Belgium)	1
Utilization of sugar beet molasses and monensin for finishing dairy bullocks	
J.E. Garret (St. Paul, MN, U.S.A.), F. Guessous and A. Eddebbarh (Rabat, Morocco) Inoculation of corn silage and high-moisture corn with lactic acid bacteria and its effects on the subsequent fermentations and on feedlot performance of beef steers	11
D.M. Schaefer, P.G. Brotz, S.C. Arp and D.K. Cook (Madison, WI, U.S.A.)	23
The effect of a protein energy supplement on pasture protein and fibre digestion in the rumen of grazing steers	
G.M. Napoli (La Plata, Argentina) and F.J. Santini (Balcarce, Argentina)	39
Effect of formaldehyde treatment on the rumen digestion of barley and wheat grain and	
its influence on hay intake and digestion by sheep	
J.J. Hyslop, J. Weir, N.W. Offer, S.J. Reid and J.M. Wilcock (Ayr, Gt. Britain)	55
By-products from the canning industry as feedstuff for ruminants: digestibility and its	
prediction from chemical composition and laboratory bioassays	
, , , , , , , , , , , , , , , , , , , ,	67
Nutritional value for rabbits of olive pulp and the effects on their visceral organs	
	79
Rumen ingesta kinetics of cell wall components in dairy cows	
S. Tamminga, M. Vogt, H. Boer (Wageningen, The Netherlands) and P.H. Robinson,	
(Lelystad, The Netherlands)	89
Intake, digestion and daily gain by cattle consuming bermudagrass (Cynodon dactylon)	
and supplemented with different combinations of ground corn, vegetable oil, urea, and	
corn gluten and blood meals	
A.C. Hardin, A.L. Goetsch, K.M. Landis, G.E. Murphy, Z.B. Johnson and K.L. Hall	
(	99
Evaluation of various methods for protecting soya-bean protein from degradation by	
rumen bacteria	11
D.M. Waltz and M.D. Stern, (St. Paul, MN, U.S.A.)	.11
Nutritional value of pigeonpea (Cajanus cajan) meal in poultry diets	00
S. Tangtaweewipat (Chiang Mai, Thailand) and R. Elliott (St. Lucia, Qld., Australia) 1	.23
Canavanine content and toxicity of sesbania leaf meal for growing chicks	27
A.A. Shqueir (Bethlehem, Israel), D.L. Brown and K.C. Klasing (Davis, CA, U.S.A.) 1	.31
Ensiling characteristics of cattle waste fermented with wheat straw and green berseem	
(Trifolium alexandrinum)	40
D.N. Kamra, D. Lall, N. Kewalramani and N.N. Pathak (Izatnagar, India)	49
Effects of urea treatment on chemical composition and in vitro digestibility of meadow	
hays of northern Portugal	
A. Mascarenhas-Ferreira, C.V.M. Guedes and A.A. Dias-da-Silva. (Vila Real,	57
Portugal)1	01
In vitro metabolism of mycotoxins by bacterial protozoal and ovine ruminal fluid	
preparations K. Westlake, M.F. Dutton (Natal, South Africa) and R.I. Mackie (Irene, South	
	69

Digestion rates in and outflow rates from the rumen of sheep fed untreated or calcium hydroxide-treated straw
A. Djajanegara and P.T. Doyle (Parkville, Vic., Australia)
The effect of $\beta$ -glucanase supplementation on nutrient digestibility and growth in broilers given diets containing barley, oat groats or wheat
M.J. Edney, G.L. Campbell, H.L. Classen (Saskatoon, Sask., Canada)
The effect of kernels of karanja ( <i>Pongamia glabra</i> Vent) on growth and feed efficiency in broiler chicks to 4 weeks of age
R. Natanam, R. Kadirval and R. Balagopal (Madras, India)
Short Communication
Water-drinking frequency and quality of water drunk by steers fed hay or fresh forage
J. Sekine, Z. Morita, R. Oura and Y. Asahida (Sapporo, Japan)207
Author Index

